



## Safety Data Sheet

# SC-1508

Issue Date: May, 2012

Revision Date: November, 2019

Version: 2

### 1. IDENTIFICATION

**Product Identifier**

**Product Name** SC 1508

**Other means of identification**

**SDS #** CIP-016

**UN/ID No** UN1133

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Adhesive.

**Details of the supplier of the safety data sheet**

**Supplier Address**

Caseway Industrial Products, Inc.  
3487 Highland Drive  
Bay City, MI 48706  
Ph: 989-391-9992  
Fax: 989-391-9994

**Emergency Telephone Number**

**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America) Contract # 106140  
\*\*\*Contact manufacturer for all non-emergency calls\*\*\*

### 2. HAZARDS IDENTIFICATION

**Appearance** Clear colorless liquid      **Physical State** Liquid      **Odor** Characteristic aromatic

**Classification**

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable Liquids	Category 2

**Signal Word**

**Danger**

**Hazard Statements**

**H302:** Harmful if swallowed

**H332:** Harmful if inhaled

**H315:** Causes skin irritation

**H361fd:** Suspected of damaging fertility or the unborn child

**H335:** May cause respiratory irritation.

**H336:** May cause drowsiness or dizziness

**H371:** May cause damage to organs through prolonged or repeated exposure

**H304:** May be fatal if swallowed and enters airways

**H225:** Highly flammable liquid and vapor

**Precautionary Statements - Prevention**

**P201:** Obtain special instructions before use

**P202:** Do not handle until all safety precautions have been read and understood

**P210:** Keep away from heat/sparks/open flames/hot surfaces. — No smoking

**P233:** Keep container tightly closed

**P235:** Keep cool

**P240:** Ground/bond container and receiving equipment

**P241:** Use explosion-proof equipment

**P242:** Use only non-sparking tools

**P243:** Take precautionary measures against static discharge

**P261:** Avoid breathing dust/fume/gas/mist/vapors/spray

**P264:** Wash face, hands and any exposed skin thoroughly after handling

**P270:** Do not eat, drink or smoke when using this product

**P271:** Use only outdoors or in a well-ventilated area

**P280:** Wear protective gloves/protective clothing/eye protection/face protection

**P281:** Use personal protective equipment as required

**Precautionary Statements - Response**

**P308:** If exposed or concerned: Get medical advice/attention

**P333+P313:** If skin irritation or rash occurs: Get medical advice/attention

**P303+P361+P353:** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

**P304+P340:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

**P301+P312:** IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

**P330:** Rinse mouth

**P331:** Do not induce vomiting

**P370+P378:** IN CASE OF FIRE: Use CO<sub>2</sub>, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

**P405:** Store locked up

**P403+P233:** Store in a well-ventilated place. Keep container tightly closed

**Precautionary Statements - Disposal**

**P501:** Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Toxic to aquatic life with long lasting effects

**Unknown Acute Toxicity**

10.5% of the mixture consists of ingredient(s) of unknown toxicity

IF INHAL

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Toluene	108-88-3	70-90

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES****First Aid Measures**

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If irritation develops or persists seek medical attention.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.
<b>Ingestion</b>	Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Most important symptoms and effects**

<b>Symptoms</b>	Overexposure by inhalation may cause CNS depression- drowsiness, dizziness, confusion or loss of coordination. May cause skin and eye irritation. Will cause gastrointestinal tract irritation. Aspiration hazard: if swallowed can enter lungs and cause damage.
-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Foam, Dry chemical, Carbon dioxide (CO2).

<b>Unsuitable Extinguishing Media</b>	Water jet.
---------------------------------------	------------

**Specific Hazards Arising from the Chemical**

Vapors may travel to source of ignition and flash back. Highly flammable liquid and vapor.

<b>Hazardous Combustion Products</b>	Toxic fumes may be released.
--------------------------------------	------------------------------

**Sensitivity to Static Discharge**

Take precautionary measures against static discharge. Flammable mixtures of this product are readily ignited even by static discharge.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Wear protective clothing as described in Section 8 of this safety data sheet. Remove all sources of ignition. The wet contaminated surface may be slippery.

**Environmental Precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up****Methods for Containment**

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite).

**Methods for Clean-Up**

Use clean non-sparking tools to collect absorbed material. Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS. Wash spill area with a mild detergent.

## 7. HANDLING AND STORAGE

**Precautions for safe handling****Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when handling this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static discharges. Ground container and transfer equipment to eliminate static electric sparks. Use spark-proof tools and explosion-proof equipment. Avoid breathing vapors or mists. Contaminated work clothing should not be allowed out of the workplace. Use only in well-ventilated areas. Keep containers closed when not in use. Keep cool.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up. Protect from damp. Store away from heat and incompatible materials.

**Incompatible Materials**

Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Toluene 108-88-3	TWA: 20 ppm	TWA: 200 ppm (vacated) TWA: 100 ppm (vacated) TWA: 375 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 560 mg/m <sup>3</sup> Ceiling: 300 ppm	IDLH: 500 ppm TWA: 100 ppm TWA: 375 mg/m <sup>3</sup> STEL: 150 ppm STEL: 560 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Good ventilation is required. Maintain eye wash fountain and quick-drench facilities in work area.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas. Use NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists.

**General Hygiene Considerations** Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Characteristic aromatic
<b>Appearance</b>	Clear colorless liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear, colorless		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
pH	Not determined		
Melting Point/Freezing Point	95 °C / 139 °F		
Boiling Point/Boiling Range	111 °C / 231 °F		
Flash Point	4 °C / 39.2 °F		
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Not determined		
Upper Flammability Limits	7.0%		
Lower Flammability Limit	1.0%		
Vapor Pressure	24 mmHg	@ 20°C (68°F)	
Vapor Density	3.0	(Air=1)	
Specific Gravity	0.872	(1=Water)	
Water Solubility	Slightly soluble in cold water		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	536 °C / 996.8 °F		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		

<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined
<b>VOC Content</b>	872 g/l VOC

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization may occur.

### Conditions to Avoid

Heat, flames and sparks.

### Incompatible Materials

Strong oxidizing agents.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### **Product Information**

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Causes skin irritation.

**Inhalation** May cause irritation to the mucous membranes and upper respiratory tract. Harmful if inhaled.

**Ingestion** Harmful if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes.

### Component Information

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
Toluene 108-88-3	= 636 mg/kg ( Rat )	= 8390 mg/kg ( Rabbit ) = 12124 mg/kg ( Rat )	= 12.5 mg/L ( Rat ) 4 h > 26700 ppm ( Rat ) 1 h

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Toluene 108-88-3		Group 3		
Styrene, oligomers 9003-53-6		Group 3		

**Legend*****IARC (International Agency for Research on Cancer)***

*Group 3 IARC components are "not classifiable as human carcinogens"*

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

**STOT - single exposure** May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Numerical measures of toxicity**

Not determined

**Unknown Acute Toxicity** 10.5% of the mixture consists of ingredient(s) of unknown toxicity.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
---------------	----------------------	------	-------------------------------	-----------

Toluene 108-88-3	433: 96 h Pseudokirchneriella subcapitata mg/L EC50 12.5: 72 h Pseudokirchneriella subcapitata mg/L EC50 static	15.22 - 19.05: 96 h Pimephales promelas mg/L LC50 flow-through 12.6: 96 h Pimephales promelas mg/L LC50 static 5.89 - 7.81: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 14.1 - 17.16: 96 h Oncorhynchus mykiss mg/L LC50 static 5.8: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 11.0 - 15.0: 96 h Lepomis macrochirus mg/L LC50 static 54: 96 h Oryzias latipes mg/L LC50 static 28.2: 96 h Poecilia reticulata mg/L LC50 semi-static 50.87 - 70.34: 96 h Poecilia reticulata mg/L LC50 static	EC50 = 19.7 mg/L 30 min	5.46 - 9.83: 48 h Daphnia magna mg/L EC50 Static 11.5: 48 h Daphnia magna mg/L EC50
---------------------	-----------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------	-------------------------------------------------------------------------------------------------

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Toluene 108-88-3	2.65

**Other Adverse Effects**

Not determined

<b>13. DISPOSAL CONSIDERATIONS</b>
------------------------------------

**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**US EPA Waste Number**



Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Toluene 108-88-3	U220	Included in waste streams: F005, F024, F025, F039, K015, K036, K037, K149, K151		U220

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Toluene 108-88-3			Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution.	

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Toluene 108-88-3	Toxic Ignitable

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

UN/ID No	UN1133
Proper Shipping Name	Adhesives
Hazard Class	3
Packing Group	II
Reportable Quantity (RQ)	1000 lbs for Toluene

**IATA**

UN/ID No	UN1133
Proper Shipping Name	Adhesives
Hazard Class	3
Packing Group	II

**IMDG**

UN/ID No	UN1133
Proper Shipping Name	Adhesives
Hazard Class	3
Packing Group	II

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Toluene	Present	X		Present		Present	X	Present	X	X

**Legend:****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Toluene 108-88-3	1000 lb 1 lb		RQ 1000 lb final RQ RQ 454 kg final RQ RQ 1 lb final RQ RQ 0.454 kg final RQ

**SARA 311/312 Hazard Categories**

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Toluene - 108-88-3	108-88-3	70-90	1.0

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Toluene	1000 lb	X	X	X

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Toluene - 108-88-3	Developmental Female Reproductive

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Toluene 108-88-3	X	X	X

<b>16. OTHER INFORMATION</b>
------------------------------

<b><u>NFPA</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	2	3	2	Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	3	2	Not determined

Issue Date: 15-May-2012  
Revision Date: November, 2019  
Revision Note: Added GHS codes.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**